


## KVM 72-W48

Cable gland, brass, DIN 89280, M72



Product illustrations are exemplary and may differ from the chosen product. Further variants and individual customization, we will gladly provide you on request.



|                                 |            |
|---------------------------------|------------|
| <b>Material cable gland</b>     | Brass      |
| <b>Material sealing gasket</b>  | EPDM       |
| <b>Temp. range min</b>          | -40 °C     |
| <b>Temp. range max</b>          | 100 °C     |
| <b>Protection class</b>         | IP54       |
| <b>Thread type</b>              | M          |
| <b>Ø Connection thread D</b>    | 72         |
| <b>Lead</b>                     | 2          |
| <b>Length screw-in thread L</b> | 16 mm      |
| <b>Ø cable diameter min</b>     | 44 mm      |
| <b>Ø cable diameter max</b>     | 48,5 mm    |
| <b>Key width SW</b>             | 70 mm      |
| <b>Collar diameter (E)</b>      | 75 mm      |
| <b>Total length TL</b>          | 73 mm      |
| <b>Install. torques fitting</b> | 20 N m     |
| <b>Install. torques cap nut</b> | 15 N m     |
| <b>Surface</b>                  | Bright     |
| <b>Order no. bright</b>         | 10010885   |
| <b>Type</b>                     | KVM 72-W48 |
| <b>Packing unit</b>             | 1          |
| <b>ETIM-Classification</b>      | EC000441   |

Recommended accessories

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

16.08.2018

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:  
**WISKA Hoppmann GmbH**  
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany  
☎ +49-4191-508-0 · 📠 +49-4191-508-209  
contact@wiska.de · www.wiska.com