
BCA-S-36-BK

Conduit PA6 UL94-V0, RAL 9005, NW36



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	36
External diameter ED	42,2 mm
Ø inside	36 mm
Profile width A	4,2 mm
Width B	2,8 mm
Bending radius R	91 mm
Wall thickness S	0,4 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-36-BK
Order no. RAL 9005	10107078
Packing unit	25 m
EAN number	4007686036879
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice


Recommended accessories

EBFS-36-40-BK	10106873
EBFS-36-50-BK	10106874
EMBFS-36-40-BK	10106905
EMBFS-36-50-BK	10106906
EMBFSI-36-40-BK	10106928
BCC-36-BK	10106946
EBF45-36-40-BK	10106962
EBF90-36-40-BK	10106980
EMBF90-36-40-BK	10107024
EMBF90-36-50-BK	10107025
EMBF45-36-40-BK	10107329
EMBF45-36-50-BK	10107330
EMBF45I-36-40-BK	10107345
EMBF90I-36-40-BK	10107369
EMBFSCG-36-40-BK	10107385
EMBF45CG-36-40-BK	10107997
EMBF90CG-36-40-BK	10108011
EBF45-36-50-BK	10108881
EBF90-36-50-BK	10108896

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice