
BCA-S-29-BG

Conduit PA6 UL94-V0, RAL 7031, NW29



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 7031
NW	29
External diameter ED	34,5 mm
Ø inside	29 mm
Profile width A	3,4 mm
Width B	2,3 mm
Bending radius R	77 mm
Wall thickness S	0,4 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-29-BG
Order no. RAL 7031	10107084
Packing unit	25 m
EAN number	4007686036992
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice


Recommended accessories

EBFS-29-32-BG	10106854
EBFS-29-40-BG	10106855
EMBFS-29-32-BG	10106887
EMBFS-29-40-BG	10106888
EMBFSI-29-32-BG	10106919
BCC-29-BG	10106936
EBF45-29-32-BG	10106953
EBF90-29-32-BG	10106971
EMBF45-29-32-BG	10106991
EMBF45-29-40-BG	10106992
EMBF90-29-32-BG	10107007
EMBF90-29-40-BG	10107008
EMBF45I-29-32-BG	10107337
EMBF90I-29-32-BG	10107360
EMBFSCG-29-32-BG	10107376
EMBF45CG-29-32-BG	10107990
EMBF90CG-29-32-BG	10108003
EBF45-29-40-BG	10108874
EBF90-29-40-BG	10108888

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice