
BCIV-S-36-BG

Conduit PA12 UL94-V2, RAL 7031, NW36



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

BRACE RoHS

Material	PA12 UL94-V2
Temp. range min	-40 °C
Temp. range max	110 °C
Operational areas	Railway technology
Product Color	RAL 7031
NW	36
External diameter ED	42,3 mm
Ø inside	36 mm
Profile width A	4,2 mm
Width B	2,8 mm
Bending radius R	81 mm
Wall thickness S	0,4 mm
Model	Standard profile
Type	BCIV-S-36-BG
Order no. RAL 7031	10107118
Packing unit	25 m
EAN number	4007686037685
Tariff number	39173900
ETIM-Classification	EC001177

Recommended accessories

EBFS-36-40-BG	10106856
EBFS-36-50-BG	10106857

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com


Other technical data on request / subject to change without notice

EMBFS-36-40-BG	10106889
EMBFS-36-50-BG	10106890
EMBFSI-36-40-BG	10106920
BCC-36-BG	10106937
EBF45-36-40-BG	10106954
EBF90-36-40-BG	10106972
EMBF45-36-40-BG	10106993
EMBF45-36-50-BG	10106994
EMBF90-36-40-BG	10107009
EMBF90-36-50-BG	10107010
BCAV-S-36-BG	10107102
EMBF45I-36-40-BG	10107338
EMBF90I-36-40-BG	10107361
EMBFSCG-36-40-BG	10107377
EMBF45CG-36-40-BG	10107991
EMBF90CG-36-40-BG	10108004
EBF45-36-50-BG	10108875
EBF90-36-50-BG	10108889

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice