
BCA-S-48-BK

Conduit PA6 UL94-V0, RAL 9005, NW48



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	48
External diameter ED	54,5 mm
Ø inside	47,7 mm
Profile width A	4,3 mm
Width B	2,8 mm
Bending radius R	117 mm
Wall thickness S	0,4 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-48-BK
WISKA-Order no.	10109176
Packing unit	25 m
EAN number	4007686083408
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice


Recommended accessories

EBFS-48-50-BK	10106875
EBFS-48-63-BK	10106876
EMBFS-48-50-BK	10106907
EMBFS-48-63-BK	10106908
EMBFSI-48-50-BK	10106929
BCC-48-BK	10106947
EBF45-48-50-BK	10106963
EBF90-48-50-BK	10106981
EMBF90-48-50-BK	10107026
EMBF90-48-63-BK	10107027
EMBF45-48-50-BK	10107331
EMBF45-48-63-BK	10107332
EMBF45I-48-50-BK	10107346
EMBF90I-48-50-BK	10107370
EMBFSCG-48-50-BK	10107386
EMBF45CG-48-50-BK	10107998
EMBF90CG-48-50-BK	10108012
EBF45-48-63-BK	10108883
EBF90-48-63-BK	10108897

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice