
BCA-S-48-BG

Conduit PA6 UL94-V0, RAL 7031, NW48



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

Material	PA6 UL94-V0
Temp. range min	-40 °C
Temp. range max	140 °C
UL-Temp. range max	105 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 7031
NW	48
External diameter ED	54,5 mm
Ø inside	47,7 mm
Profile width A	4,3 mm
Width B	2,8 mm
Bending radius R	117 mm
Wall thickness S	0,4 mm
Model	Standard profile
UL 1696	Yes
Type	BCA-S-48-BG
WISKA-Order no.	10109178
Packing unit	25 m
EAN number	4007686083446
Tariff number	39173900
ETIM-Classification	EC001177

Remarks:

UL approval only in conjunction with UL approved conduit fitting

Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice


Recommended accessories

EBFS-48-50-BG	10106858
EBFS-48-63-BG	10106859
EMBFS-48-50-BG	10106891
EMBFS-48-63-BG	10106892
EMBFSI-48-50-BG	10106921
BCC-48-BG	10106938
EBF45-48-50-BG	10106955
EBF90-48-50-BG	10106973
EMBF45-48-50-BG	10106995
EMBF45-48-63-BG	10106996
EMBF90-48-50-BG	10107011
EMBF90-48-63-BG	10107012
EMBF45I-48-50-BG	10107339
EMBF90I-48-50-BG	10107362
EMBFSCG-48-50-BG	10107378
EMBF45CG-48-50-BG	10107992
EMBF90CG-48-50-BG	10108005
EBF90-48-63-BG	10108890

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice