
Product Data Sheet

BCI-S-10-BK

Conduit PA12 UL94-V1, RAL 9005, NW10



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.


HL3 EN 45545 BRACE RoHS

Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	120 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	10
External diameter ED	13 mm
Ø inside	9,8 mm
Profile width A	2,7 mm
Width B	1,8 mm
Bending radius R	21 mm
Wall thickness S	0,2 mm
Model	Standard profile
Type	BCI-S-10-BK
Order no. RAL 9005	10109949
Packing unit	50 m
EAN number	4007686105025
Tariff number	39173900
ETIM-Classification	EC001177

07.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice