
BCI-S-23-BK

Conduit PA12 UL94-V1, RAL 9005, NW23



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.


HL3 EN 45545 BRACE RoHS

Material	WISKAmid PA12 V1 RW
Temp. range min	-50 °C
Temp. range max	120 °C
Operational areas	EN 45545 - Railway
Product Color	RAL 9005
NW	23
External diameter ED	28,5 mm
Ø inside	22 mm
Profile width A	3,4 mm
Width B	3,4 mm
Bending radius R	49 mm
Wall thickness S	0,4 mm
Model	Standard profile
Type	BCI-S-23-BK
Order no. RAL 9005	10109952
Packing unit	50 m
EAN number	4007686105087
Tariff number	39173900
ETIM-Classification	EC001177

06.11.2026


Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:
WISKA Hoppmann GmbH
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice