
# BCI-S-36-BK

Conduit PA12 UL94-V1, RAL 9005, NW36




Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.

HL3 EN 45545 BRACE RoHS


| | |
|---|---|
| **Material** | WISKAmid PA12 V1 RW |
| **Temp. range min** | -50 °C |
| **Temp. range max** | 120 °C |
| **Operational areas** | EN 45545 - Railway |
| **Product Color** | RAL 9005 |
| **NW** | 36 |
| **External diameter ED** | 42,3 mm |
| **Ø inside** | 36 mm |
| **Profile width A** | 4,2 mm |
| **Width B** | 2,8 mm |
| **Bending radius R** | 81 mm |
| **Wall thickness S** | 0,4 mm |
| **Model** | Standard profile |
| **Type** | BCI-S-36-BK |
| **Order no. RAL 9005** | 10109954 |
| **Packing unit** | 25 m |
| **EAN number** | 4007686171747 |
| **Tariff number** | 39173900 |
| **ETIM-Classification** | EC001177 |

06.11.2026

Your Contact:
**WISKA Hoppmann GmbH**
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com




Other technical data on request / subject to change without notice




Your Contact:
**WISKA Hoppmann GmbH**
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com



Other technical data on request / subject to change without notice




Your Contact:
**WISKA Hoppmann GmbH**
Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany
☎ +49-4191-508-0 · 🖷 +49-4191-508-209
contact@wiska.de · www.wiska.com



Other technical data on request / subject to change without notice