



भारत गणराज्य
Government of India
Ministry of Commerce & Industry
Petroleum & Explosives Safety Organisation (PESO)
5th Floor, A-Block, CGO Complex, Seminary Hills,
Nagpur - 440006

E-mail : explosives@explosives.gov.in
Phone/Fax No : 0712 -2510248, Fax-2510577

Approval No : A/P/HQ/MH/104/8076 (P589094)

Dated : 08/03/2024

To,
M/s. WISKA Hoppmann GmbH,
Kisdorfer Weg 28, Kaltenkirchen
24568
GERMANY

Sub : Approval of Increased Safety Type Electrical Equipment. under Petroleum Rules 2002- Regarding.

Sir(s),

Please refer to your letter No. OIN1582592 dated 21/02/2024 on the subject.

The following Ex electrical equipment(s) manufactured by you according to EN IEC 60079-7 : 2015/AI : 2018, EN/IEC 60079-0: 2018, standards and covered under PTB Test reports mentioned below is/are approved for use in Zone 2 of Gas IIC hazardous areas coming under the the Petroleum Rules, 2002 administered by this Organization.

Sr. No	Description	Safety Protection	Equipment reference Number	Test Agency			Drawing no
				Name	Certificate No.	Certificate Date	
1	Threaded blanking element type Ex-*VSG**(LT)	Ex eb IIC Gb	P589094/1	PTB	PTB 06 ATEX 1032X Issue no 2	03/06/2022	As per Test report
2	Thread Adapter type EX-KEM**/**, EX-KRM**/**, EX-APM**/**	Ex eb IIC Gb	P589094/2	PTB	PTB 04 ATEX 1040X Issue no 2	25/05/2022	As per test report
3	Cable Gland type*SKE/1(S)(-L)-*(-RDE)**(LT)(MFD**/**(-**/**))	Ex eb IIC Gb	P589094/3	PTB	PTB 13 ATEX 1015X Issue no 3	10/05/2022	As per test report
4	Cable Gland type*MSKE(S)(-L)(-**) (-RDE)**(-**)(LT)(*FD**/**(-**/**)) (****)	Ex eb IIC Gb	P589094/4	PTB	PTB 04 ATEX 1112X Issue no 2	04/05/2021	As per Test report

This Approval is granted subject to observance of the following conditions:-

- 1)The design and construction of the equipment shall be strictly in accordance with description, condition and drawings as mentioned in the PTB Test Reports referred to above.
- 2)The equipment shall be used only with approved type of accessories and associated apparatus.
- 3)Each equipment shall be marked either by raised lettering cast integrally or by plate attached permanently to the main structure to indicate conspicuously:-
 - (a) Name of the manufacturer
 - (b) Name and number by which the equipment is identified.
 - (c) Number & date of the test report of the PTB applicable to the equipment.
 - (d) Equipment reference number of this letter by which use of apparatus is approved.
 - (e) Protection level.
- 4) A certificate to the effect that the equipment has been manufactured strictly in accordance with the drawing referred to in the PTB Test report and is identical with the one tested and certified at PTB shall be furnished with each equipment.
- 5) The customer shall be supplied with a copy of this letter, an extract of the conditions and maintenance schedule, if any, recommended by PTB in their test reports and copy of instructions booklet detailing operation & maintenance of the equipment so as to maintain its Flame Proof characteristics.
- 6) The After sales service and maintenance of subject equipment shall be looked after by your representative WISKA INDIA PRIVATE LIMITED, WISKA India Pvt. Ltd. (Subsidiary of WISKA Hoppmann GmbH, Germany) UNIT NO 247/248, RAHEJA TESLA DISTRICT II, 2ND FLR, EDISON BLDG NO.1, PLOT GEN 2/1/C/PART, TTC INDUSTRIAL AREA MIDC, JUINAGAR NAVI MUMBAI 400705, INDIA

This approval also covers the permissible variations as approved under the PTB test reports referred above. This approval is liable to be cancelled if any of the conditions of the approval is violated or not complied with . The approval may also be amended or withdrawn at any time, if considered necessary in the interest of safety.

The field performance report from actual users/your customers of the subject equipment may please be collected and furnished to this office for verification and record on annual basis. The Approval is Valid upto 31/12/2028

Yours faithfully,

(K. Thiagarajan)
Jt. Chief Controller of Explosives
For Chief Controller of Explosives
Nagpur

Copy to :

1. Jt. Chief Controller of Explosives, West Circle, MUMBAI
2. WISKA INDIA PRIVATE LIMITED, WISKA India Pvt. Ltd. (Subsidiary of WISKA Hoppmann GmbH, Germany) UNIT NO 247/248, RAHEJA TESLA DISTRICT II, 2ND FLR, EDISON BLDG NO.1, PLOT GEN 2/1/C/PART, TTC INDUSTRIAL AREA MIDC, JUINAGAR NAVI MUMBAI 400705, INDIA

for Chief Controller of Explosives
Nagpur

(For more information regarding status, fees and other details please visit our website <http://peso.gov.in>)

This is System Generated document. Signature is not required.